Magnification in Dentistry: A Review

- **Dr. Sameer Parihar,** Professor, Department Of Oral & Maxillofacial Surgery, Rajasthan Dental College & Hospital, Jaipur, Rajasthan
 - **Dr. Shubhangi Pareek,** Assistant Professor, Department of Oral & Maxillofacial Pathology, SCB Dental College and Hospital, Cuttack, Odisha.-753007
 - Dr. Arjun Reddy, BDS, Manipal College of Dental Sciences, Manipal
- **Dr. Girish M S,** Reader, Department of Pediatric and Preventive Dentistry, JSS Dental College and Hospital, Affiliate to JSS Academy of Higher Education and Research, Mysuru
- **Dr. Pratik Surana**, Senior Lecturer, Department of Pediatric and Preventive Dentistry, Maitri College of Dentistry, and Research Centre, Durg, Chhattisgarh
- **Dr. Sharmila Behera**, Lecturer, Department of Oral Medicine & Radiology, Kalinga Institute of Dental Sciences, KIIT Deemed to be University, Bhubaneswar, Odisha

Corresponding author: Dr. Shubhangi Pareek, Assistant Professor, Department of Oral & Maxillofacial Pathology, SCB dental college and hospital, Cuttack, Odisha -753007. Email id: pareek.shubhi@gmail.com

Abstract: As it works with tiny anatomy, dentistry is restricted to small operating space. Clinicians who handle complex cases thus seem to require stronger visual acuity. In order to bridge the gap between the human eye and the microscope, numerous magnification tools have been developed over time. In actuality, modern gadgets that appear to be more useful and handy for application, such as loupes and dental operating microscope, have essentially replaced tools like an magnifying glass, and intraoral camera. This review aimed to clarify the use of magnifying equipment in dental procedures in order to enhance precision, handling, and thoroughness while eliminating procedural errors.

Keywords: Magnification, Microscope, Loupes, Dental Application

Introduction: The only tool used to comprehend traditional endodontic treatment and surgical treatment is the two-dimensional dental radiograph, which is a representation of a three-dimensional biological system. After cleaning the canal space, the foundation of successful endodontic therapy is establishing a hermetic seal. The right magnification and lighting improve endodontic treatment outcomes. In endodontic practise, magnifying tools like loupes,

microscopes, and endoscopes allow the practitioner to more closely focus on a particular treatment location than is possible with the naked eye.^{1,2}

Endodontic therapy is now a vision-driven approach rather than a tactile and radiograph-based one thanks to the advancement of magnification technology. In order to magnify the treatment region more than is possible with the untrained eye, endodontists often utilise magnifying tools including loupes, microscopes, endoscopes, and oroscopes. Any dental surgery needs the correct lighting and magnification to be successful. Since 1870, surgical loupes have been in use. The earliest attempts to use the microscope in dentistry were undertaken by Apotheker and Jako in 1978. In 1992, Carr made a point of emphasising the use of the surgical operating microscope in endodontics.^{3,4}

Applications for surgical operating microscopes include a variety of endodontic procedures, including the detection of caries, detection of hidden canals, removal of pulp stones and instruments, surgical endodontics, retreatment, perforation seal, etc., as well as minimally invasive surgical methods. Some of the parts that make up the operating microscope include optical elements, objective lenses, binocular tubes, eyepieces, illumination units, and mounting systems. The mechanical optical rotating assembly (MORA) interface, a beam splitter, and a motorised or foot-controlled focal length adjustment are examples of accessories. This review aimed to clarify the use of magnifying equipment in dental procedures in order to enhance precision, handling, and thoroughness while eliminating procedural errors.

Significance of Magnification: Only the level of the canal orifice is visible to unaided eyes. At the age of 40, normal vision would also start to decline.^{5,6} This circumstance has been verified by using miniaturized eye charts placed in teeth.⁷ The dentistry practice has a difficulty with the lack of knowledge regarding this vision impairment. However, age-related vision impairment appears to be reduced by using a loupe and may be compensated for by using the dental or surgical operating microscope (DOM).⁸

Types Magnification Systems

Loupes: In dentistry, loupes are the most widely utilised magnifying devices. It features two monocular microscopes with shoulder lenses and a holder. These angled lenses create larger images by focusing on an item. Convergent lenses are used in loupes. Magnification is between

1.5 and 10. Loupes for magnification are a preferable place to start because they aid in the operator's eye adjustment.⁸

The improvement of diagnosis caused by a rise in the operator's visual acuity is one of the main causes for clinicians to use magnification loupes. Wajngarten et al. (2019) found higher visual acuity scores when the operators used 3.5 or 4.0 magnifying loupes as compared to those with unaided eyes in a study that used miniature Snellen charts put inside prepared prosthetic teeth. In a previous study by Urlic et al. (2016), this enhancement in visual acuity was also discovered when employing 2.5 magnification.

The use of magnification loupes as a visual aid is suggested as dental practise years grow in order to make up for any typical drop in visual acuity caused by ageing and presbyopia. There is a well-established pattern of decrease in visual acuity in both the general population and dentists. 12

The most common drawback of utilising loupes is the convergence of the eyes when seeing an image (Keplerian optics), which can cause eye fatigue and draining. The eyesight alterations could even be brought on by prolonged usage of improperly fitting loupes.⁹

Types of Loupes 13-15

	Table no. 1: Types of Loupes
Туре	Specification
	Simple loupes are made up of two meniscus lenses that are each one positive
	and placed side by side. Two refracting surfaces exist on each lens. Light
Simple	enters the lens and undergoes two refractions: one as it enters and one when it
Loupes	exits. Simply raising the lens diameter or lens thickness is the sole way to
	improve the magnification of simple loupes. These gadgets' size and weight
	restrictions prevent them from having any useful dental applications.
	Telescopic loupes are made up of many lenses with basic air gaps, allowing
	modifications to working distance, magnification, and depth of field without
Telescopic	adding to their size or bulk. By extending or decreasing the space between the
Loupes	lenses, such loupes are simple to modify to meet clinical needs. Compound
	lenses may be achromatic, so when choosing a dental loupe, this trait should

	be taken into consideration. The colour accuracy of the images created by
	these achromatic lenses is excellent.
	These loupes are cheap and are simple to operate while compared to other
	compound loupes. The Galilean loupes typically utilize two lenses: an
Galilean	objective convex lens and a concave eyepiece lens. They provide
Loupes	magnifications on the lower end between 2.0× and 3.5×, which is why
	Galilean loupes are suitable as general purpose dental loupes or starter
	magnification loupes for new users.
	These loupes have prisms that are used to refract light, as suggested by their
	name. The light path is lengthened by these prisms as it travels through a string
	of switchback mirrors positioned in between lenses. Therefore, this method
Prism	offers superior magnification and greater depths of field. The users are also
Loupes	guaranteed lengthy working distances, and when compared to other loops,
	their fields of vision are bigger. Therefore, these loupes are the most
	technologically advanced sort of magnification tool now available. These
	loupes have magnification strengths ranging from 1.5x to 6x. Typically,
	dentists employ magnifying loupes with a power range of 2.5 to 3.5.

Surgical Operating Microscope: When used in conjunction with regular dental loupes, surgical microscopes offer significantly improved optical performance and magnification. Galilean optics is used in surgical microscopes created specifically for dentistry. To produce the parallel optical axis, they use counteracting prisms to unite binocular eyepieces. Galilean optics enables people to experience stereoscopic vision without any eye strain or eye convergence. In surgical microscopes, the depth of focus and field of vision properties are at their best. The microscope offers greater illumination and magnification ranging from 3 to 30. In terms of ergonomics, clear eyesight, improved prognosis, less appointments, and cost-effectiveness, it is advantageous for the clinician and the patients. ^{16,17}

	Table no. 2: Different Parts of Surgical Microscope 18-22
Supporting Structure	When in use, the microscope must be stable while also being easily and precisely manoeuvrable, especially when using high power. The wall, ceiling,

Body of Microscope Eyepieces: Magnification is determined by eyepiece power. Eyepieces an often offered in 10, 12, 16, and 20 power options. The range of diopter setting for accommodating the eye's lens is from -5 to +5. Binoculars: Binoculars' primary use is to hold the eyepieces in place. The focal plane of the eyepieces receives an intermediate image that is projected be it. It is available at several focal lengths. The magnification increases with focal length, while the field of view narrows. Magnification changer: It is located inside the microscope's head and come with a power zoom changer or a 3-, 5-, or 6 step manual changer. Objective lens: The focal length of the objective lens determines how close the microscope must be to the working area. A 100 to 400 mm focal length typical. For 200 mm focal length, the recommended working distance is 20 cm.
often offered in 10, 12, 16, and 20 power options. The range of diopter setting for accommodating the eye's lens is from -5 to +5. Binoculars: Binoculars' primary use is to hold the eyepieces in place. The focal plane of the eyepieces receives an intermediate image that is projected by it. It is available at several focal lengths. The magnification increases with focal length, while the field of view narrows. Magnification changer: It is located inside the microscope's head and come with a power zoom changer or a 3-, 5-, or 6 step manual changer. Objective lens: The focal length of the objective lens determines how close the microscope must be to the working area. A 100 to 400 mm focal length
for accommodating the eye's lens is from -5 to +5. Binoculars: Binoculars' primary use is to hold the eyepieces in place. The focal plane of the eyepieces receives an intermediate image that is projected be it. It is available at several focal lengths. The magnification increases with focal length, while the field of view narrows. Magnification changer: It is located inside the microscope's head and come with a power zoom changer or a 3-, 5-, or 6 step manual changer. Objective lens: The focal length of the objective lens determines how close the microscope must be to the working area. A 100 to 400 mm focal length in the microscope must be to the working area.
Binoculars: Binoculars' primary use is to hold the eyepieces in place. The focal plane of the eyepieces receives an intermediate image that is projected be it. It is available at several focal lengths. The magnification increases with focal length, while the field of view narrows. Magnification changer: It is located inside the microscope's head and come with a power zoom changer or a 3-, 5-, or 6 step manual changer. Objective lens: The focal length of the objective lens determines how close the microscope must be to the working area. A 100 to 400 mm focal length is
focal plane of the eyepieces receives an intermediate image that is projected by it. It is available at several focal lengths. The magnification increases with focal length, while the field of view narrows. Magnification changer: It is located inside the microscope's head and come with a power zoom changer or a 3-, 5-, or 6 step manual changer. Objective lens: The focal length of the objective lens determines how closs the microscope must be to the working area. A 100 to 400 mm focal length is
it. It is available at several focal lengths. The magnification increases with focal length, while the field of view narrows. Magnification changer: It is located inside the microscope's head and come with a power zoom changer or a 3-, 5-, or 6 step manual changer. Objective lens: The focal length of the objective lens determines how closs the microscope must be to the working area. A 100 to 400 mm focal length is
focal length, while the field of view narrows. Magnification changer: It is located inside the microscope's head and come with a power zoom changer or a 3-, 5-, or 6 step manual changer. Objective lens: The focal length of the objective lens determines how closs the microscope must be to the working area. A 100 to 400 mm focal length is
Magnification changer: It is located inside the microscope's head and come with a power zoom changer or a 3-, 5-, or 6 step manual changer. Objective lens: The focal length of the objective lens determines how closs the microscope must be to the working area. A 100 to 400 mm focal length is
with a power zoom changer or a 3-, 5-, or 6 step manual changer. Objective lens: The focal length of the objective lens determines how clost the microscope must be to the working area. A 100 to 400 mm focal length in the microscope must be to the working area.
Objective lens: The focal length of the objective lens determines how close the microscope must be to the working area. A 100 to 400 mm focal length in the microscope must be to the working area.
the microscope must be to the working area. A 100 to 400 mm focal length
typical For 200 mm focal langth, the recommended working distance is 20 or
typical. For 200 lilli focal length, the recommended working distance is 20 cm
(8 inches). At this distance, the endodontic surgery is most effective.
working area's illumination is maintained by an antireflective coating
assurance that just the tiniest amount of light is absorbed.
In surgical microscopes, the three main types of lighting are incandescen
Light halogen, and fiberoptic. Due to their higher colour temperature than ligh
Source utilising regular bulbs, halogen lamps emit a whiter light. There are also xeno
bulbs, which can last up to ten times as long as halogen lamps. The light
produces unusually brilliant images with sharper contrast because it ha
daylight properties and is even whiter in hue.

Orascope: The freshly released flexible fiberoptic orascope, which has a 15 mm-long working part and 0.8 mm-diameter working tip, is advised for intracanal viewing. The use of a flexible orascope or a rigid rod-lens endoscope in the oral cavity is referred to as orascopy. The use of orascopy for visibility during traditional and surgical endodontic therapy is known as orascopic endodontics. ^{23,24}

Endoscope: Endoscopy reportedly provides the dentist with excellent vision and ease of use. It also provides a better intraoperative visualization in comparison with micromirrors. Further development of endoscopy made it possible to combine magnification, light, irrigation/suction and surgical microinstruments in one device. This combination could lead to an advanced root canal treatment technique. Endoscope provides greater magnification than loupes. It consists of rods of glass. It has a camera, a light source, and a monitor. Disadvantage of rod lens endoscopy is that the instrument is rigid, so it cannot be used in visualizing curved root canals. The difference between an orascope and an endoscope is that an orascope utilizes fiber optics and is flexible, whereas the endoscope utilizes rigid rods of glass.²⁶

Application of Magnification in Dentistry

Examination, Diagnosis, and Treatment Planning: Magnification allows for a better understanding of demineralization around the grooves and small amounts of flaking of darkened carious tooth structure within these grooves, which can be an important factor in the diagnosis and selection of the appropriate course of action.²⁶

Endodontic Treatment: Endodontists were the first members of the dental profession to recognise the practical uses of surgical microscopes in both traditional and surgical endodontics. In a variety of therapeutic settings, from the most common to the least, a microscope is used to locate the pulpal chamber canals, permeabilize calcified channels, and remove broken tools from the canals.²⁷

Retrieval of Fractured Posts and Instruments: The dental operating microscope's improved eyesight from magnification and illumination enables one to locate damaged instruments and fractured posts with greater accuracy and remove them with the least possible damage to healthy tooth structure.²⁸

Periodontal Surgery: The use of magnifying tools like surgical prism loupes and surgical microscopes has revolutionised periodontal surgery. The procedure is now less invasive and minimally invasive because to the improved magnification of the surgery site. When compared to the outcome of a typical kind of surgery, the final appearance of the operated area following the microsurgical technique is simply outstanding.¹⁴

Oral Surgical Procedure: Oral and maxillofacial surgery greatly benefits from the clinical and practical advantages of microsurgery. In all surgical treatments for treating impacted teeth, but especially in mucogingival surgical procedures to widen attached gingiva by harvesting soft tissue grafts, a clearer and magnified image is particularly crucial. Using microscopes, surgeons can better treat diseases and injuries to the delicate nerves around the mouth. [23] If proper care is not given regarding the lingual flap during lower molar and premolar level oral surgical treatment, or during the surgery of third molars, the lingual nerve and the lower dental nerves are vulnerable to harm. By using high-end magnification in conjunction with microsurgery, this could be effectively avoided.²⁹

Pediatric Dentistry: Similar to adult care, the dental operating microscope can be used to its utmost potential on pediatric patients. The DOM is a useful tool for endodontic and restorative procedures.. The DOM can increase the effectiveness and precision of endodontic and restorative treatments for young patients.³⁰

Conclusion: Magnification offers possibilities to improve therapeutic results of various procedures. A number of endodontic, periodontal and surgical procedures can be performed using minimally invasive approaches. The improved visual acuity and ergonomics provide significant advantages to those who take the time to become proficient in microsurgical principles and procedures. It is essential to comprehend the physics and principles underlying such equipment before implementing visual magnification technologies, such as microscopes, and successfully using them in dental treatments.

References

- 1. Tibbetts LS, Shanelec D. Periodontal microsurgery. Dent Clin North Am 1998;42(2):339-59.
- 2. Sheets CG. The magic of magnification. Dentistry Today 1998;12:60-7.
- 3. Low JF, Dom TNM, Baharin SA. Magnification in endodontics: A review of its application and acceptance among dental practitioners. Eur J Dent. 2018 Oct-Dec;12(4):610-616. doi: 10.4103/ejd.ejd_248_18. PMID: 30369811; PMCID: PMC6178675.

- 4. Taschieri S, Del Fabbro M, Weinstein T, Rosen E, Tsesis I. Magnification in modern endodontic practice. Refuat Hapeh Vehashinayim (1993). 2010 Jul;27(3):18-22, 61. PMID: 21485416.
- 5. Perrin P, Neuhaus KW, Lussi A. The impact of loupes and microscopes on vision in endodontics. Int Endod J. 2014;47:425–9.
- 6. Burton JF, Bridgman GF. Presbyopia and the dentist: The effect of age on clinical vision. Int Dent J. 1990;40:303–12.
- 7. Perrin P, Ramseyer ST, Eichenberger M, Lussi A. Visual acuity of dentists in their respective clinical conditions. Clin Oral Investig. 2014;18:2055–8.
- 8. Eichenberger M, Perrin P, Ramseyer ST, Lussi A. Visual acuity and experience with magnification devices in Swiss dental practices. Oper Dent. 2015;40:E142–9.
- 9. Pieptu D, Luchian S. Loupes-only microsurgery. Microsurgery 2003;23(3):181-8.
- 10. Wajngarten D, Garcia P. Effect of magnification devices on dental students' visual acuity. PLoS One 2019;14(3):e0212793. DOI: 10.1371/journal.pone.
- 11. Urlic I, Verzak Z, Vranic DN. Measuring the influence of Galilean loupe system on near visual acuity of dentists under simulated clinical conditions. Acta Stomatol Croat 2016;50(3):235–241. DOI: 10.15644/asc50/3/6
- 12. Gupta N, Sandhu M, Sachdev V, et al. Comparison of visual e x a m i n ati o n a n d m a g n i f i c ati o n w i th D IAG N O d e nt f o r detection of smooth surface initial carious lesion-dry and wet conditions. Int J Clin Pediatr Dent 2019;12(1):37–41. DOI: 10.5005/jp-journals-10005-1588.
- 13. Sedani SK, Ikhar AD, Thote AP. The next big thing is really big!! magnification in dentistry. J Evolution Med Dent Sci 2021;10(15):1083-1087, DOI: 10.14260/jemds/2021/231
- 14. Mallikarjun SA, Devi PR, Naik AR, Tiwari S. Magnification in dental practice: How useful is it?. J Health Res Rev 2015;2:39-44.
- 15. Aldosari MA. Magnification Loupes: An Update of the Evidence. J Contemp Dent Pract 2021;22(3):310–315.
- 16. Leonard S, Tibbetts LS, Shanelec DA. Principles and practice of periodontal surgery. Int J Microdent 2009;1:13-24.

- 17. Arora, A., Kaur, H., & Gupta, I. (2021). Magnification in endodontics: A review. International Journal of Health Sciences, 5(S1), 193²202. https://doi.org/10.53730/ijhs.v5nS1.5492
- 18. Carr GB, Murgel CA. The use of operating microscope in endodontics. Dent Clin North Am 2010;54(2):191–214. DOI: 10.1016/j.cden.2010.01.002.
- 19. Singla MG, Girdhar D, Tanwar U. Magnification in endodontics: a review. Indian J Conserv Endod 2018;3(1):1–5. DOI: 10.18231/2456-8953.2018.0001.
- 20. Shetty S, Tejaswi S. Magnification. An endodontic review. J Adv Clin Res Insights 2018;5:178–182. DOI: 10.15713/ins.jcri.239.
- 21. Pecora G, Andreana S. Use of dental operation microscope in endodontic surgery. Oral Surg Oral Med Oral Pathol 1993;75:751²758.
- 22. Khayat BG. The use of magnification in endodontic therapy: the operating microscope. Pract Periodont Aesthet Dent 1998;10(1):1372144.
- 23. Bahcall J, Barss J. Orascopic visualization technique for conventional and surgical endodontics. IntEndod J 2003: 36: 441–447.
- 24. Bahcall J, Barss J. Orascopy: vision for the millennium. Part II. Dent Today 1999: 18: 82–85.
- 25. Moshonov J, Nahlieli O. Endoscopy in endodontics. Alpha Omegan. 2011 Spring;104(1-2):26-34. PMID: 21905364.
- 26. Von Arx T, Walker WA.2000. Microsurgical instruments for root-end cavity preparation following apicoectomy: A literature review. Endod Dent Traumatol.,16:47-62.
- 27. Mines P, Loushine RJ, West LA. Use of the microscope in endodontics. A report based on a questionnaire. J Endodon 1999;25:755-8
- 28. Nunes E, Silveira FF, Soares JA, Duarte M, Soares S. 2012. Treatment of perforating internal root resorption with MTA: a case report. J Oral Sci., 54(1):127-31.
- 29. Labanc JP, Van Bowen RW. Surgical management of inferior alveolar nerve injuries. Oral Maxillofac Surg Clin North Am 1992;4:425-37
- 30. Sayed A, Ranna V, Padawe D, Takate V. Effect of the video output of the dental operating microscope on anxiety levels in a pediatric population during restorative procedures. J Indian Soc Pedod Prev Dent 2016;34:60-4

European Journal of Molecular & Clinical Medicine

Volume 10, Issue 01, 2023

ISSN 2515-8260